Valde technical specification



Wave Office has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

Being located in the forest region with lake by it's side, .wave take the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.













General informations:

Warranty:

.mdd products - **5 years**. Electrical components and fabric - **2 years**.

Certificate - MFC:





Assembly:

product delivered in separate elements


Packing:


cartboard, bubble wrap, perforated plastic mesh wrap

Boards density:

12 mm - 690 - 750 kg/m3 18 mm - 650 - 690 kg/m3 28 mm - 610 - 630 kg/m3 36 mm - 610 - 630 kg/m3


Technical specification






- 1. Top MFC 36 mm + Glass LACOBEL 4 mm (40 mm)
- 2. Worktop MFC 28 mm, ABS edge
- 3. Decorative stripe PVC, colour: M009 aluminum semi-matt
- 4. Front HPL 3 mm high gloss
- 5. Storage as ending element HPL high gloss 18 mm, ABS edge
- **6. LED illumination** at the full length of the reception desk, cold white color (verging on the blue shade)
- 7. Kick plate HPL brushed aluminum
- 8. Leveling 5 mm range
- 9. Low side panel all HPL gloss 38 mm
- 10. Side panel linking low and high fronts HPL high gloss 38 mm
- 11. Cable grommets Ø80 mm
- 12. Supporting leg NE41 made of metal, required for tops connecting, colours: M015 white semi-mat, M009 Aluminum semi-matt, colour adjusted to the colour of worktop
- 13. High side panel all HPL gloss 38 mm
- 14. OPTION WITH EXTRA CHARGE working top with lowered monitor shelf MFC 28 mm, ABS edge
- 15. Light swich
- 16. LMS05 reception desk storage; order separately
- 17. Shelf MFC 18 mm, protection against accidental falling-out, ABS edge
- 18. Top MFC 12 mm, ABS edge
- 19. Body MFC 18 mm, ABS edge
- 20. Optional front with lock universal (left, right) MFC 18 mm, ABS edge; ordered as separate element


Ending storage




- 1. Storage as ending element HPL high gloss 18 mm, ABS edge
- 2. Leveling 5 mm range
- 3. Shelf MFC 28 mm, ABS edge
- 4. Shelf with possibility of height regulation MFC 18 mm, ABS edge
- 5. Base MFC 18 mm, ABS edge
- 6. Optional Front LAD10 MFC 18 mm, universal (left/right), to order as an additional element
- 7. Patent lock foldable key


Ending elements application









Cargo pedestal




- 1. Top MFC 28 mm, coated with HPL high gloss
- 2. Body MFC 18 mm, coated with HPL high gloss
- 3. Leveling 5 mm range
- 4. Cabinet with flip door 2 spaces (e.g. for binder, shoes)
- 5. Castors Ø75 mm
- 6. Front MFC 18 mm, ABS edge
- 7. Shelf MFC 18 mm, protection against accidental falling-out, ABS edge $\,$
- 8. Aluminum handle
- 9. Patent lock
- 10. Pencil tray plastic, colour: black
- 11. No back
- 12. Full back rear MFC 18 mm

Dimensions







Straight elements *









LA13L 1290 / 917 / 1105 55.55 kg



LA16L 1590 / 917 / 1105 69.45 kg



LA23L 2290 / 917 / 1105 96.5 kg



1290 / 917 / 1105 52.2 kg



LAP16L 1590 / 917 / 1105 65.5 kg



LAP23L 2290 | 917 | 1105 92.6 kg



LAL13L 1290 / 917 / 1105 51.6 kg



LAL16L 1590 / 917 / 1105 65.35 kg



LAL23L 2290 | 917 | 1105 92.5 kg



LAU11L 1000 / 1114 / 740 37.75 kg



LAU18L 800 / 1114 / 740 30.5 kg



LAU21L 1000 / 917 / 740 29.5 kg



LAU28L 800 / 917 / 740 27.5 kg

 $^{^{\}star}$ dimensions expressed in millimeters: width x depth x height

Radial elements *











LAV64L 1600 / 917/ 1105 61.05 kg





LAV90L 2264 / 917 / 1105 107.75 kg





LAV70L 1297 / 917 / 1105 39.5 kg











LAV65L 1311 / 1165 / 740 34.5 kg



LAV66L 1720 / 1109 / 740 49.65 kg









LA90L 1296 / 616 / 1105 35.5 kg

Composition elements *



LA100 300 / 300 / 1105 20.85 kg



LAP10 318 / 917 / 1105 50 kg



LAL10 318 / 917 / 1105 50 kg



LAC10L 318 / 917 / 1105 70 kg



LAC10P 318 / 917 / 1105 70 kg



LAD10 306 / 20 / 1094 6 kg



LAN1P 38 / 917 / 1105 29.9 kg



LAN2L 38 / 917 / 1108 29.5 kg



LAN3P 38 / 300 / 364 4 kg



LAN4L 38 / 300 / 364 3.6 kg



LAN5P 38 / 917 / 740 20 kg



LAN11P 38 / 917 / 740 17 kg



LAN6L 38 / 917 / 740 20.5 kg



LAN11L 38 / 917 / 740 17 kg



LAN7P 38 / 374 / 1105 13 kg



LAN8L 38 / 374 / 1105 12.5 kg

 $^{^{\}star}$ dimensions expressed in millimeters: width x depth x height

Composition elements *




LAN9L 38 / 374 / 740 8.4 kg




LAN9P 38 / 374 / 740 8.3 kg




LAN10L 38 / 917 / 1105 22.65 kg



LAN13L 38 / 917 / 1105 22.65 kg



LAN10P 38 / 917 / 1105 22.3 kg



LAN13P 38 / 917 / 1105 22.65 kg



LMS05 345 / 283 / 314 6.8 kg



LMS06 339 / 18 / 286 2.25 kg



NL41 585 / 142 / 712 2 kg



NE41L 40 / 40 / 712 1.5 kg



E64L 460 / 89 / 120 0.5 kg



\$69L 580 / 162 / 123 1 kg



S81L 140 / 70 / 750 1.1 kg


 $^{^{\}star}$ dimensions expressed in millimeters: width x depth x height

Sneeze guard *



NPX1 1000 / 250 / 750 8.8 kg

 $[\]ensuremath{^{\star}}$ dimensions expressed in millimeters: width x depth x height



Copmplementary elements LAD10, LMS05, LMS06
26 Aluminum 67 White pastel satinato
Copmplementary elements S69L, E64L
M009 Aluminum semi-matt RAL9006
Copmplementary elements S81L
Grey