

Clevertouch Edge Specifications

Computing

NEW Operating System	Android 13
NEW System Version	LUX 13
Access to Google Play Store Apps	Yes (Certified)
Access to Microsoft Apps	Yes (Certified)
Access to Google Cloud Services	Yes (Certified)
Access to Video Conferencing Apps (MS Teams, Google Meet, Zoom etc)	Yes (Certified)
NEW RAM	8GB
NEW Internal Storage	128GB
CPU	Quad Core A76 + Quad Core A55
GPU	Mali G610 MC4
Android Resolution	4K
Integrated LUX UI	Yes
NEW System Architecture	64-bit

Audio

NEW Dual Front Facing, Bass Enhanced Speakers	2 x 20W Speaker + 2 x 10W Subwoofer
Audio Out	Yes
SPDIF / Fibre	Yes
Sound Channel	2.2
Line Array Microphone (noise cancelling)	8 Array Microphone
Super Wide Sound	Yes

Power

Power Requirements	100-240V ~ 50/60Hz
Power Consumption (Normal)	65" 100W 75" 135W 86" 162W
Power Consumption (Standby)	≤0.5W
Ultra Quiet Fanless Design	Yes

Operating & Storage Environment

Operating Temperature	0° to 40°
Storage Temperature	-20° to 60°
Operating Humidity	10% to 90% RH
Storage Humidity	10% to 90% RH
Altitude	Below 5000 metres

Clevertouch Edge Built-In Features

BYOM	Yes
Handwriting Recognition	Yes - LYNX Pro
Unlimited Multi-Floating Resizable Windows	Yes
Split Screen Support	Yes
Ecosystem of Extensive Apps with Secure and Fast Download	Yes
OpenSDK Support	Yes
Intelligent O&M	Yes
CleverLive™ Embedded Digital Signage	Yes
Clevershare™ Mirroring Any Device To The Board	Free for the life of the screen (touch back)
Miracast (WiFi Direct)	Yes
AirPlay	Yes
Chromecast	Yes
Integrated Personalised Accounts Profiles	Yes
Cloud Account Access	OneDrive, Google Drive, Dropbox
CleverLive Rooms™ Embedded Room Booking	Yes
Customizable Welcome Page with option to integrate logo, clocks apps and more (CleverLauncher™)	Yes
NEW LynxShare™	Yes
NEW LynxCloud™	Yes
Whiteboard Annotation	Yes
Email Out Direct From Touchscreen	Yes
Scan QR Code For Saving Work	Yes
Alerts and Announcements	Yes
Over-the-Air Updates	Yes
Remote Management Of Touchscreens (MDM)	Yes - One year license
Codec	Yes

Physical Spec

Panel Dimensions L x H x D	65" 1510 x 937 x 83mm 75" 1731 x 1061 x 85mm 86" 1979 x 1202 x 85mm
Packed Dimensions L x W x D	65" 1654 x 208 x 1026mm 75" 1890 x 225 x 1186mm 86" 2138 x 225 x 1328mm
Thickness of machine and wall mount	65" 113mm (WIB9060H) 75" 115 (WIB9060H) 86" 115 (WIB9060H)
Net Weight	65" 40.6kg 75" 54.70kg 86" 68.85kg
Gross Weight	65" 49.5kg 75" 67.00kg 86" 85.30kg
VESA Mount Point	65" 600 x 400mm 75" 800 x 400mm 86" 800 x 600mm

Clevertouch Edge Specifications

Inside your Clevertouch Box

What's In The Box

- (1) Clevertouch Edge
- (1) 3M HDMI Cable
- (1) 3M Length USB cable (A-B)
- (1) 1.5M USB C Cable
- (1) 3M Regional Power Cable
- (1) Remote Control
- (2) Batteries for Remote Control
- (2) Dual Recognition Stylus
- (1) User Guide
- (1) Quick Install Guide
- (1) Clevertouch WiFi Module
- (1) NFC card
- (1) CleverCast
- (1) Camera Lens Cover

Support & Installation

For all Clevertouch product support, visit: support.clevertouch.com The installation of this product should be completed by a qualified installer. Use of components not supplied by Clevertouch or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit: clevertouch.com

Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information and visit clevertouch.com/about/warranty

Compliance & Certification

Regulatory Certification

CE, FCC, UL, Energy Star & EEC



Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance. Should the above-mentioned change in the document become necessary, the document may be updated without written notice.